# "INTERFERENCE" Refine Search

#### Search Results -

Terms	Documents
(rate determining same identify same distinct region same respective invariant same rating vector same data set) and (distinct region same defines same rating space) and (rating vector same rate parameter) and (rate modelling component same store same model)	0

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database US OCR Full-Text Database

Database: EPO A

EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

L1

Search:

Refine Search

Recall Text 👄

Clear

Interrupt

### Search History

DATE: Thursday, July 12, 2007 Purge Queries Printable Copy Create Case

Set
Name Query
side by
side

Hit Set
Count Name
result

DB=PGPB; PLUR=YES; OP=ADJ

(rate determining same identify same distinct region same respective invariant same rating vector same data set) and (distinct region same defines same rating space) and (rating vector same rate parameter) and (rate modelling component same store same model)

0 <u>L1</u>

**END OF SEARCH HISTORY** 

# **Refine Search**

## Search Results -

Terms	ns Documents	
L1,4 and L21	0	

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

L37

Search:

Recall Text Clear

Refine Search

Interrupt

## **Search History**

DATE: Thursday, July 12, 2007 Purge Queries Printable Copy Create Case

Set Name side by side		Hit Count	Set Name result set
DB=PG	PB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YB	ES; OP=ADJ	
<u>L37</u>	114 and 121	0	<u>L37</u>
<u>L36</u>	114 and L35	0	L36
<u>L35</u>	6263058	6	<u>L35</u>
<u>L34</u>	132 and L33	4	<u>L34</u>
<u>L33</u>	stor\$3 same L24	498	<u>L33</u>
<u>L32</u>	379/\$.ccls.	107634	<u>L32</u>
<u>L31</u>	129 and L30	33	<u>L31</u>
<u>L30</u>	stor\$3 same model	114145	<u>L30</u>
<u>L29</u>	17 and 127	145	<u>L29</u>
<u>L28</u>	126 and L27	4	<u>L28</u>
<u>L27</u>	rate vector	900	<u>L27</u>
<u>L26</u>	124 and L25	963	<u>L26</u>
<u>L25</u>	705/\$.ccls.	51947	<u>L25</u>
<u>L24</u>	(pric\$3 or tariff or rat\$3) model\$4	14467	<u>L24</u>

12 and L21	1	<u>L23</u>
119 and L21	. 0	<u>L22</u>
6456986	14	<u>L21</u>
118 and L19	. 3	<u>L20</u>
rate model\$4	1297	<u>L19</u>
L16 not 112	15	<u>L18</u>
L16 not 112	15	<u>L17</u>
17 and L15	16	<u>L16</u>
12 and L14	193	<u>L15</u>
distinct regions	9194	<u>L14</u>
disctinct regions	0	<u>L13</u>
110 and L11	3	<u>L12</u>
defin\$3 with distinct with region	1528	<u>L11</u>
18 and L9	392	<u>L10</u>
(rat\$3 with vector) or (rate with parameter)	149499	<u>L9</u>
16 and L7	570	<u>L8</u>
(rat\$3 with space) or (dimension with attribute)	153585	<u>L7</u>
13 and L5	4975	<u>L6</u>
rate with model\$4	35740	<u>L5</u>
12 and L3	4946	<u>L4</u>
(variable with attribute) or (data or parameter) set	189722	<u>L3</u>
rate with model\$3	35509	<u>L2</u>
rate adj(2) model\$3	2	<u>L1</u>
	119 and L21 6456986 118 and L19 rate model\$4 L16 not 112 L16 not 112 17 and L15 12 and L14 distinct regions disctinct regions 110 and L11 defin\$3 with distinct with region 18 and L9 (rat\$3 with vector) or (rate with parameter) 16 and L7 (rat\$3 with space) or (dimension with attribute) 13 and L5 rate with model\$4 12 and L3 (variable with attribute) or (data or parameter) set rate with model\$3	119 and L21       0         6456986       14         118 and L19       3         rate model\$4       1297         L16 not 112       15         L16 not 112       15         17 and L15       16         12 and L14       193         distinct regions       0         discinct regions       0         110 and L11       3         defin\$3 with distinct with region       1528         18 and L9       392         (rat\$3 with vector) or (rate with parameter)       149499         16 and L7       570         (rat\$3 with space) or (dimension with attribute)       153585         13 and L5       4975         rate with model\$4       35740         12 and L3       4946         (variable with attribute) or (data or parameter) set       189722         rate with model\$3       35509

## **END OF SEARCH HISTORY**